

# **Product Comparison Chart**

Compare CounterPath Multimedia Communicators X-Lite 3.0 - eyeBeam 1.5 - Bria 2.2

#### LEGEND

New Feature

- Indicates feature which is available in free download (X-Lite only)
- Indicates feature which is available in retail version (i.e. from online store)
- NR Non-Retail. Indicates feature which is not available in retail version (i.e. from online store); feature is optional in bulk orders (Service Providers, Enterprises) - see your Sales Representative for more information

X-Lite 3.0





<u> </u>	_	LC.	0.0	

eyeBeam 1.5

Operating System Support	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
Windows	•	•	•
Mac OS	•	•	coming soon

Telephony Features	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
Message Waiting Indicator	•	•	•
Zero Touch Configuration	•	•	•
Touch-tones	•	•	•
Automatic Gain Control	•	•	•
Microphone & Speaker Device Selector	•	•	•
Call Forwarding	•	•	•
Voicemail Support	•	•	•
Multi-Party Conferencing (IP & PSTN)	•	•	•
3-way Calling	•	•	•
Speakerphone	•	•	•
Auto-conference	•	•	
Enhanced conferencing capability (no hold required)			•
Click to Dial	•	•	•
Redial list			•
Caller ID (SIP ID)	•	•	•
Call Timer	•	•	•
Silence Threshold	•	•	•
Call History	•	•	•
Mute	•	•	•
Record call	•	•	•
Customizable Ring Tones	•	•	•



Telephony Features (continued)	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
Direct IP to IP Calling	•	•	•
Line Hold	•	•	•
Consultation Hold	•	•	٠
Line Transfer		•	٠
Call Waiting	•	•	٠
Flash	•	•	
Auto-answer	•	•	
Auto-complete			•
Inbound Call notification	•	•	٠
Inbound Call 'Ignore'	•	•	٠
Inbound Call 'Go to voicemail'	•	•	
Multiple Call Support	2	6	6
Anonymous calling		NR	٠
Do not disturb – Call Only		•	٠
Do not disturb – Call / IM / Presence			•
Quick Transfer			•
Music on Hold			NR

Video Features	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
Record Video	•	•	coming soon
Detachable Sliding Drawer	•	•	•
Privacy (start/stop sending video)	•	•	•
Video Conferencing (at the endpoint)	•	•	•
Camera Settings	•	•	•
Picture-In-Picture Video Layout			•
Codec Selection:			
H.263 (CIF and QCIF supported)	•	•	•
H.263+ (H.263 1998 CIF and QCIF supported)	•	•	•
H.264 (CIF, QCIF, QCGA) – licensed for 2 concurrent calls		•	•



Video Features (continued)	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
Enhanced Video Capability Support:			
Auto Attendant	•	•	٠
Call Center	•	•	٠
Video Messaging	•	•	٠
Video Add On	•	•	٠
Video On-Hold	•	•	•

Contact List Features	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
Contact-specific ring tones			•
Microsoft Outlook® Integration		•	•
Outlook Exchange® (Import/Export)	•	•	•
Lotus Notes® (Import/Export)	•	•	•
CSV and Vcard Files (Import/Export)	•	•	•
XCAP Contact Storage Support		•	•
WebDav Contact Storage Support		•	•
XMPP Contacts Roster			•
Call Logs	•	•	•
Phone Book	•	•	•
Add received, dialed or missed call as new contact	•	•	•
Add New Group	•	•	•
Ban Contact	•	•	•
Delete Contact	•	•	•
Edit Contact	•	•	•
Add Contact during a call	•	•	•
Call and IM history list attached to contact details			•
Default contact method for each contact (IM or Calling)			•
Contact added to multiple groups			•
View avatars for individual contacts			•
Invite e-mail capabilities			•



Presence & IM Features	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
IM & Presence Management (using SIP SIMPLE & XMPP)	•	•	•
IM Typing Notification	•	•	•
IM Management (send IM to groups)	•	•	•
Broadcast IM			•
Privacy	•	•	•
SMS (page mode)		NR	NR
MMS (content-indirection)		NR	NR
Send email to a Contact or Group	•	•	•
Multiple IM conversations presented as tabs			•
Custom ringtones for incoming IM			•
File Transfer via MSRP			NR / coming soon
File Transfer via XMPP			•

User Interface Features	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
Detachable Trays	•	•	٠
Detachable Windows	•	•	٠
Advertising Layout	•	•	٠
Alert Pop-Up for calls	•	•	٠
Alert Pop-Up for instant messages and presence changes			•
Enhanced advertising panel			•
Person-centric design			•
Deskbar (minimized toolbar)			•
Hide Dialpad			٠
Multiple User Profiles			٠
Support for Windows roaming profiles (i.e. Active directory)			•
Enhanced end user configurable user interface			•
Auto Complete			•
Enhanced contact flyout			•



Voice Engine Features	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
Acoustic Echo Cancellation	•	•	•
Adaptive Jitter Buffer	•	•	•
VAD/DTX	•	•	•
Packet Loss Concealment	•	•	•
Dynamic Codec Shifting	•	•	•
Auto Gain Control	•	•	•
Noise Reduction	•	•	•

Media Features	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
Narrowband Codec Selection:			
G.711	•	•	•
G.729 – licensed for 2 concurrent calls		•	•
G.723.1		NR	NR
G.726		NR	NR
GSM	•	•	•
DVI4	•	•	•
iLBC	•	•	•
Speex	•	•	•
EVRC		NR	NR
Wideband Codec Selection:			
Speex	•	•	•
L16	•	•	•
DV14	•	•	•
BV-32	•	•	•
BV FEC	•	•	•
G.722		NR	NR
AMR-WB (G.722.2)		NR	NR

Security Features	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
TLS		•	•
SRTP		•	coming soon
ZRTP option		NR	NR
SIP Digest Authentication	٠	•	•



Security Features (continued)	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
License Key Input Mechanism		•	•
Configuration setting via HTTP / HTTPS		NR	NR

Network Features	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
Quality of Service (QoS)	•	•	•
Multiple SIP proxy registrations	1	10	10
SIP TCP and UDP Support	auto	auto/manual	auto/manual
NAT Traversal using STUN, ICE, TURN	•	•	•
Session Border Controller Support	•	•	•
Auto-Detect IP Address	•	•	٠
XTunnels	•	•	•
Manual DNS Settings	•	•	coming soon
Automatic Bandwidth Detection	•	•	•
Preserving Bandwidth during silence periods	•	•	•
SIP Parameter Configuration	•	•	•
Provisioning / Configuration setting via HTTP / HTTPS		NR	NR
802.11e Support	•	•	•
In Call Quality Feedback via Telchemy (Performance Management)		•	•

Device Support	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
USB/Dongle Audio/Memory Stick		NR	NR
TigerJet USB Phone Set (incorporating the Tiger 560C)	•	•	•
TigerJet RJ11 to USB phone Adaptor (incorporating the Tiger 560C)	•	•	•
GN Netcom GN 8120 USB and GN Netcom 8110 USBXP	•	•	•
Plantronics CS50-USB Wireless Office Headset System	•	•	•
Yealink USB-P1K USB hand phone	•	•	•
Yealink USB-P8D	•	•	•
Yealink USB-W1D	•	•	•
INTEL UPDI	•	•	•
VoIP Voice Cyberphone (V550MLR USB Phone)	•	•	coming soon
VoIP Voice Cyberphone K (V652VVMLR USB Phone)	•	•	coming soon
Clarisys Claritel i750	•	•	coming soon
Actiontec Internet Phone Wizard	•	•	coming soon
Polycom <sup>©</sup> Communicator C100S Wideband USB Speakerphone	•	•	•



Branding	X-Lite 3.0	eyeBeam 1.5	Bria 2.2
CoBrand		NR	NR
White Label		NR	NR
Custom GUI		NR	NR
Multiple Skin Capability (with increased options)			NR
Multiple Language Capability			NR

#### For more information, please contact:

CounterPath Corporation Tel: (+1) 604.320.3344 Fax: (+1) 801.640.0011 Email: sales@counterpath.com

#### Updated January 18, 2008



THIS DOCUMENT IS PROVIDED TO YOU FOR INFORMATIONAL PURPOSES ONLY. The information furnished in this document, believed by CounterPath Corporation to be accurate as of the date of publication, is subject to change without notice. CounterPath Corporation assumes no responsibility for any errors or omissions in this document and shall have no obligation to you as a result of having made this document available to you or based upon the information it contains.

CounterPath is a registered trademark of CounterPath Corporation, Inc. All other products and services are the registered trademarks of their respective holders.

